



SANGRE *de* CRISTO  
ALL OF THE ARTS FOR ALL OF SOUTHERN COLORADO  
ARTS *and* CONFERENCE CENTER

**TECHNICAL INFORMATION**

**Sangre de Cristo Arts & Conference Center Theater**

210 N. Santa Fe Ave.

Pueblo, CO 81003-4133

Main Desk: (719) 295-7200

Box Office: (719) 295-7200

Fax: (719) 295-7230

Backstage: (719) 295-7223

E-Mail: [mail@sdc-arts.org](mailto:mail@sdc-arts.org)

Web Page: [www.sdc-arts.org](http://www.sdc-arts.org)

## GENERAL INFORMATION

### Technical Services:

Technical Director  
Timothy F. Gately  
Office: (719) 295-7223  
Fax: (719) 295-7230  
E-Mail: tgately@sdc-arts.org

### Box Office:

Box Office Coordinator  
Cheryl Califano  
Office: (719) 295-7001, (719) 295-7002  
Fax: (719) 295-7230  
E-Mail: mail@sdc-arts.org

### Pueblo Marriot

110 W. 1st Street  
Pueblo, CO 81003-4259  
(719) 542-3200  
2 blocks Southwest of Theater

### The Deli

Sandwiches, homemade soups, & salads.  
612 N. Main St.  
(719) 543-8165  
(Open Monday–Friday: 8 am–4 pm)

### Do Drop Inn

Italian & Pizza  
(719) 542-0818  
1201 S Santa Fe Ave.  
(Open Monday–Saturday: 6 am–10 pm;  
Sunday: 6 am–9 pm)  
Breakfast served daily 7 am–1 pm

### Carl's Jr

Fast Food  
(719) 544-9618  
102 S. Santa Fe Ave.  
(Open 6:00 am–midnight; Drive Thru 24 hours)

### Cinfully Delicious

Offers child favorites to local favorites.  
(719) 295-6216–Free Wi-Fi service  
Located on site in the Buell Children's Museum  
(Open Tuesday through Friday: 10:00 am–2 pm;  
Saturday: 9:00 am–2 pm)

### Programming:

Executive Director  
Maggie Divelbiss  
Office: (719) 295-7209  
Fax: (719) 295-7230  
E-Mail: maggie@sdc-arts.org

### Taxi Service:

City Cab Company (719) 543-2525

### Area Hotels:

#### Ramada Inn

4703 N Freeway Rd  
Pueblo, CO 81008-9639  
(719) 544-4700  
4 miles North of Theater

#### Wingate Inn

4711 N. Elizabeth St.  
Pueblo, CO 81008-2055  
(719) 586-9000  
4.15 miles North of Theater

### Restaurants:

#### Nacho's Restaurant

Mexican food.  
(719) 544-0733  
409 N. Santa Fe Ave.  
(Open Monday–Friday: 11 am–8 pm;  
Weekends: 11 am–9 pm)

#### Shamrock Brewing Co.

Irish pub, brewery and restaurant  
(719) 542-9974  
108 W. 3rd St.  
(Open 11 am–midnight;  
Sunday Brunch served 10 am–2 pm)

#### Solar Roast Coffee

(719) 555-2008  
226 N. Main St.  
(Open Monday–Friday: 6:30 am–6 pm;  
Saturday: 8 am–5 pm)

#### Suehiro Japanese Restaurant

(719) 583-8035  
631 N. Main St.  
(Open Monday–Friday: Lunch 11 am–2 pm,  
Dinner 5 pm–9 pm; Saturday: 4 pm–9 pm;  
Sunday: By reservation only)

### Handicapped Access:

There are 6 slots for wheel chairs, one each located at the ends of the top rows of the center section and the sections house left of center and house right of center.

### Emergency Numbers: ALL EMERGENCIES – 911

Fire: (719) 553-2830, 1551 Bonforte Blvd, Pueblo, CO 81001  
Police: (719) 553-2538, 230 Central Main, Pueblo, CO 81003  
Ambulance: (719) 545-9631, 922 S Santa Fe Ave, Pueblo, CO 81003  
Parkview Medical Center Emergency Room: (719) 584-4500, 400 W 16th St, Pueblo, CO 81003

**Parking:**

Available in a lot to the south of the Arts Center complex.

**Laundry:**

Lady Fair Coin Laundry #2, (719) 542-0928, 700 W. 4th St, Pueblo, CO 81003

Stoehr Cleaners, (719) 543-3360, 116 W. 7th St, Pueblo, CO 81003 (Open Monday–Friday 7:00am–6:00pm, Saturday 8:00am–5:00pm).

**Travel Directions:** The Arts Center is located in downtown Pueblo next to I-25. If traveling from the west on US 50 Merge onto I-25 South. If traveling from the east on US 50 Merge onto I-25 South. From I-25 take exit 98-B, the 1st Street exit, then drive west one block to Santa Fe Ave., turn right, north, onto Santa Fe Ave. and drive one block to 2nd Street. Turn right, east, onto Mahlon T. White Cir. To get to the theater loading doors continue along Mahlon T. White Cir past the turnaround island and to the left you will see a large concrete wall covered with a green, blue, and red sign. Just beyond the wall is the drive that leads to the loading doors.

**Time Zone:** (GMT–07:00) Mountain Time (US & Canada)

**Map:** See Attachment A.

## MANAGEMENT

**Production Room:** Technical directors office located behind back wall of stage.

One phone line available, Internet Access through wired network hub. FAX and Copier located in administration building, only available 9:00 AM-5:00 PM Monday through Friday

**Green Room:** 20 ft.3 in. × 23 ft. (6.17 m × 7.01 m) located Off Right, Up Stage. There is also a kitchenette SR near the green room that has a sink, counter space, and cupboards.

**Stage Manager's Console:** There is no stage manager's console, audio monitor, or video monitor, 1 channel Telex production communication system

**Rehearsal Room:** There is no rehearsal room

**Crews:** Paid non-union professional. Available only by prior arrangement.

**Handicapped Access:** Wheelchair access to dressing rooms is through the lower lobby on ground level.

No ramps from dressing rooms to stage level, stairs only. Wheelchairs must be rolled outside to loading doors to reach stage level. One handicapped restroom in same hallway as dressing rooms.

**Policies:** House opens 1/2 hour prior to curtain. Normal curtain is 7:30 pm.

Food and drink are not permitted in the house. Alcohol use is not permitted within the theater.

State law prohibits smoking in any public building.

## LOAD-IN AREA

Loading is from a driveway accessed from stage left. There is no loading dock. One truck can be accommodated at a time. Due to the nature of the drive, the drive slopes up to the doors and the asphalt is not level, tractor-trailers and buses cannot back into the space and other large vehicles have difficulty with positioning for loading.

Tractor-trailers and buses usually park on the adjacent street and cases are rolled, or carried, to the stage. The loading door is 5 ft. 11 in. wide × 6 ft. 11 in. high (1.8 m × 2.1 m).

## CARPENTRY

**Seating:** The auditorium is divided into five sections in a semi-circular classical arena configuration around the three edges of the thrust. Each row is stepped up from the first row to the last, thus creating a raked configuration. 492 seats, with 6 wheel chair accessible. Seating Chart: See attachment C

### **Stage Dimensions:**

The stage is a combination of a traditional box stage, up stage of the proscenium, and a thrust stage, down stage of the proscenium. Movable steps that lead into the house are placed along the three edges of the thrust.

**Proscenium height:** 17 ft. 11 in. (5.46 m)

**Proscenium width:** 38 ft. (11.58 m)

**Plaster line to back wall:** 22 ft. (6.7 m)

**Plaster line to D.S. lip of thrust:** 20 ft. 3 in. (6.17 m)

Thrust narrows to 17 ft. (5.18 m) across D.S. lip. Left and right edges of thrust are 21 ft. 5 in. (6.52 m) long, thus forming a trapezoid.

**Center line to stage left wall:** 42 ft. (12.8 m)

**Center line to stage right wall:** 31 ft. 6 in. (9.6 m)

**Grid height:** From deck to top of grid surface is 26 ft. 6 in. (8.07 m)

**Orchestra pit:** Located between the DS lip of the thrust and the first row of the house.

The US edge along the lip of the thrust is 17 ft. (5.18 m) long. The left and right edges are 6 ft. 5 in. (1.95 m) long and at a 150° angle from the DS lip of the thrust. The edge toward the house describes an arc. At the center line the pit is 12 ft. 1 ½ in. (3.69 m) long from the DS lip to the house edge. The floor of the pit is 3 ft. 7 ½ in. (1.1 m) below the stage floor and 2 ft. 4 in. (.71 m) below the lowest level of the house.

Steps lead down into the pit from left and right.

When not in use the pit is covered with legged platforms set to the level of the lowest step of the house. This is covered by a carpet, and then steps are placed along the edge of the thrust.

**Stage floor:** The stage floor is a L'Air Pneumatic Suspension Floor System®. This consists of plywood suspended over foam spacers installed on top of the original floor of fir boards. Quarter-inch thick Masonite is laid over the plywood, and is painted flat-black. The floor has excellent resiliency for dance.

Nailing or screwing into the floor is not permitted. There are no traps.

### **House Draperies (Goods):**

**House Curtain:** Motorized traveler running along a track that follows the edge of the thrust and opens or closes in 19 seconds. The drape is a golden yellow in color.

**Legs:** 4 sets, black velour with fullness 8 ft. wide × 22 ft. high (2.43 m × 6.7 m).

**Borders:** 4, black velour with fullness 55 ft. wide × 6 ft. high (16.76 m × 1.82 m).

**Full Stage:** 2, black velour with fullness 44 ft. wide × 22 ft. high (13.41 m × 6.7 m).

**Cyclorama:** 1 sky blue, seamless muslin, 53 ft. wide 22 ft. × high (16.15 m × 6.7 m).

### **Line Set Data:**

There is no fly system. All electrics and soft goods are dead hung. Trim of electrics cannot be adjusted.

### **Line Plot:** See attachment B.

**Projection screen:** Located DS of the proscenium arch is a motorized, rollup, DA-LITE® front projection screen that is 18 ft. wide × 15 ft. 9 in. high overall (5.48 m × 4.8 m). The reflective surface is 17 ft. 8 in. wide × 13 ft. 7 in. high (5.38 m × 4.14 m). When fully lowered the bottom edge of the screen is 2 ft. 9 in. (.83 m) above the stage floor. Raises or lowers in 42 seconds, and can be stopped at any point along its path.

### **Support Areas:**

**Crossover:** Behind cyclorama is 2 ft. 6 in. (.76 m) wide

**Access:** From front of house located house right through exit doorway down stairs that turn left to SL wings. Dressing rooms are located under the house and can be reached from SL or SR, Green room is located Off Right, Up Stage.

**Shop Area:** The theater shop is located behind the back stage wall. The shop is accessed from an outside doorway that is located east of the theater loading doors, 5 ft. 10 in. wide × 5 ft. 11 in. (1.77 m × 1.8 m) high, in the same wall.

**Storage:** Limited storage available in theater shop.

**Notes:** The shop's floor is below stage level and is reached by a set of stairs. There is no wheelchair access.

## LIGHTING

**Power:** 2: 240VAC; 60 Hz, 3 phase, 400A/leg, max hp 125. Connection is with lugs. USL on the back wall.

4 wire, 240VAC; 60 Hz, 3 phase, 200 amp, max hp 50. Connection is with lugs. USL on the back wall.

**Dimmers:** Dimmer per circuit configuration with 75 available @ 2.4kw. Dimmers are CMX but can be controlled by DMX 512 boards using an available NSI I/F 501 interface unit. 12–Leprecon ULD-360 available @ 0.6 kw. All patching is electronic through the lighting control board.

**Control Board:** ETC, Congo Jr, version 5.0 software, 2 × DMX512 direct outputs, RDM ready, with Congo Jr Master Playback Wing with 40 faders and master keys. Located in control booth at rear of house.

**Houselights:** Control locations are house left, stage right, and in lighting control booth.

**Circuits:** 75–Colortran 192, 2.4kw dimmers, fixed rack. 12–Leprecon ULD-360, 0.6 kw.

### **Circuit Locations:**

| <b>Location</b>  | <b>Available<br/>20 amp</b> | <b>Circuit<br/>Numbers</b> |
|------------------|-----------------------------|----------------------------|
| Beam             | 10                          | 3, 5–12, 80                |
| Catwalk          | 11                          | 13–23                      |
| 1st Electric     | 10                          | 24–33                      |
| 2nd Electric     | 7                           | 34–39, 79                  |
| 3rd Electric     | 10                          | 41–50                      |
| DSL Floor pocket | 3                           | 51–53                      |
| CL Floor pocket  | 3                           | 54–56                      |
| UCL Floor pocket | 3                           | 57–59                      |
| USL Floor pocket | 3                           | 60–62                      |
| USC Floor pocket | 3                           | 63–65                      |
| DSR Floor pocket | 3                           | 66–68                      |
| CR Floor pocket  | 3                           | 69–71                      |
| UCR Floor pocket | 3                           | 72–74                      |
| USR Floor pocket | 3                           | 75–77                      |

| <b>Location</b> | <b>Available<br/>5 amp</b> | <b>Circuit<br/>Numbers</b> |
|-----------------|----------------------------|----------------------------|
| Beam            | 12                         | 101–112                    |

**Front of House Transfer:** None available

**Lighting positions:** Permanent lighting positions are located at a semi-circular FOH beam position, a catwalk that follows the edges of the thrust, a 1st electric located 3 ft. 9 in. (1.14 m) US of the plaster line, a 2nd electric 9 ft. 6 in (2.89 m). US of the plaster line, and a 3rd electric 16 ft. 4 in (4.97 m). US of the plaster line.

### **Equipment inventory:**

**Front of House Instruments:** 24–ETC Source 4 19°, 575w, 2P&G.

Color cut size is 6¼".

### **Lighting Instrument inventory:**

10–Altman 6×12 ERS, 575w, 2P&G

4–Altman 6×9 ERS, 575w, 2P&G

2–Altman 4½×6 ERS, 575w, 2P&G

6–Century 6×9 ERS, 750w, 2P&G

9–Century-Strand 6×9 ERS, 750w, 2P&G

14–Century 6" Fresnel, 500w, 2P&G

9–Century-Strand 6" Fresnel, 500w, 2P&G

9–Times Square 6" Fresnel, 500w, 2P&G

Color cut size is 7 ½" for all above.

70–ETC Source 4-fixture bodies, 575w, 2P&G

14–ETC Source 4 750-fixture bodies, 575w, 2P&G

1–ETC Source 4 750-fixture body double-clutch, 575w, 2P&G

1–ETC Source 4 5° Lens tube

Color cut size is 14".

5–ETC Source 4 10° Lens tubes

Color cut size is 12".

2–ETC Source 4 14° Lens tubes

27–ETC Source 4 19° Lens tubes

22–ETC Source 4 26° Lens tubes

30–ETC Source 4 36° Lens tubes

6–ETC Source 4 50° Lens tubes

1–ETC Source 4 90° Lens tube

Color cut size is 6¼".

10–Century Strand 6 ft. 3 color strip lights 4 lamps/color, 150w, 2P&G

Color cut size is 5⅝".

**Accessories:** 2–Source 4 Drop in Irises, 6–Rosco ImagePro.

**Followspot (s):** 2–Lycian 1206 Midget, 1000w FEL lamp. 3" diameter 12454567890-color cut. Located on the FOH beam to the left and right of the technical booth.

**Film, Video, And Projection Equipment:** 3–Kodak Ektagraphic III projectors. 1–AMX wireless projector remote control.

**Hardware:** 4–barn doors. 17–Altman pattern holders, 25–S4 A size pattern holders, 16–S4 B size pattern holders. 8–1' long vertical extension tubes. 8–50 lb. boom bases, 8–10 ft. pipes, 8–15 ft. pipes. 40–single-T side arms.

**Note:** Front of house instruments included in lighting instrument inventory.

## SOUND

**Power:** 120V 1 phase, 5, 20A circuits

**Wiring:** Rapco Snake 24-Channel female XLRs /4-male XLRs Return. Snake runs from booth to SL.

**Control Locations:** Technical booth at rear of house, house mix position is at center of rear aisle behind last row of seats. Removable sliding solid panels and glass panes fit into the opening from the booth to the house.

**Hearing Assist System:** The theater is equipped with a Williams Sound® wide-band FM wireless listening system. The system utilizes the 72.9MHz frequency that broadcasts amplified sound to small receivers into which lightweight headphones are plugged.

**Monitor/Paging System:** None available.

**Production Communications:** Telex 1 channel base, 6 headsets, 2 handsets, 7 belt packs, stations as needed throughout the space.

### **Equipment Inventory:**

**Mixing Consoles:** 1–Yamaha MX200-16 with 16 channels input mixable to stereo, 4 Aux send systems, 2 are pre-fader, 2 are post-fader.

**Fixed Speakers:** 2–Yamaha WF115, two way system comprising 15 in. woofer with 2 in. compression driver. Also five JBL Model 4602A two way speakers are mounted in an overhead canopy and act as a center fill.

**Portable Speakers:** 2–EV Tapco Model 100S two way constant directivity speakers, 5–JBL Model 4602A two way monitor speakers.

### **Microphones:**

- 1–Audio-technica ATM61HE (hypercardioid)
- 2–Audio-technica ATW-T52 handheld wireless (cardioid)
- 2–Audio-technica ATW-T21 lavalier wireless
- 3–Crown PCC-160 (phase coherent cardioid)
- 2–Shure SM58 (cardioid), switched
- 5–Shure SM58 (cardioid)
- 5–Shure SM57 (cardioid)
- 1–Shure SM59 (omnidirectional)
- 1–Shure WL93 Subminiature lavalier wireless

### **Microphone Stands:**

- 8–Atlas TL28E Tripod stands, adj. 2ft. 10in.-5ft. 2in. H.
- 4–Atlas DMS-7E, 10in.dia.base, adj. 8in.-13in. H.
- 2–Atlas DS-7 Desk stands, 6in.dia. base, adj. 8in.-13in. H.
- 2–Adam AMS601 Stands, 10in.dia.base, adj. 2ft. 9in.-5ft. H.
- 8 boom attachments.

**Playback:** 1–JVC TD-W317 double cassette deck, 1–Marantz Professional Model PMD321 compact disc player.

**Signal Processors:** 2–Yamaha Q2031B 32 band two-channel equalizers. 1–Yamaha REV100 digital reverberator.

**Amplifiers:** 2–Yamaha P2500, in bridge mode at 700 watts. 1–Yamaha P1500, in stereo mode at 150 watts

**Cable:** 15–25 ft. (7.6 m) three pin XLR male to female, 3–30 ft. (9.1 m) three pin XLR male to female, 5–50 ft. (15.2 m) three pin XLR male to female, 3–75 ft. (22.86 m) three pin XLR male to female, variety of adapters available

**Notes:** Mixing console can be moved from booth to house mix position at need.

## Props

**Orchestra pit:** Located between the DS lip of the thrust and the first row of the house.

The US edge along the lip of the thrust is 17 ft. (5.18 m) long. The left and right edges are 6 ft. 5 in. (1.95 m) long and at a 150° angle from the DS lip of the thrust. The edge toward the house describes an arc. At the center line the pit is 12 ft. 1 ½ in. (3.69 m) long from the DS lip to the house edge. The floor of the pit is 3 ft. 7 ½ in. (1.1 m) below the stage floor and 2 ft. 4 in. (.71 m) below the lowest level of the house.

Steps lead down into the pit from left and right.

When not in use the pit is covered with legged platforms set to the level of the lowest step of the house. This is covered by a carpet, and then steps are placed along the edge of the thrust.

### **Music:**

**Chairs:** Number available as needed, Virco model 8916SB, back and seat covered in brown cloth.

**Stands:** 2–Wenger model 18 black, 6–Manhasset Model 48 black.

**Stand lights:** 8–40w, 120v switched.

**Conductor Podium:** None available.

**Orchestra Shell:** None available.

**Platforms:** 8–4 ft. × 8 ft. (1.21 m × 2.43 m), 2 ft. (.6 m) high removable legs.

**Dance Floor:** A black/gray Harlequin floor is available for use.

**Lecterns:** 2 black painted podiums, 1 with built in light.

### Wardrobe

**Dressing Rooms:** Four dressing rooms are located under the house. Two are chorus sized 12 ft. 6 in. × 14 ft (3.84 m × 4.26 m) and both contain chairs, lighted mirrors, sinks, a shower and a costume rack. Two are private sized 6 ft. 6 in. × 8 ft. 5 in. (1.98 m × 2.56 m) and contain chairs, lighted mirrors, sinks and a costume rack. Access to the stage is by way of a hall that runs under the house from off stage left to off stage right. Restrooms are located near the dressing rooms, down the hall toward the stage right entrance.

**Wardrobe Area:** There is no separate wardrobe area.

**Irons:** 2 steam irons.

**Ironing boards:** 1

**Steamers:** 1–Jiffy J-4000M Steamer.


**Washers/dryers:** None available.

**Racks and hangers:** None available.

**Quick Change Booths:** As requested

**Notes:** If wardrobe needs to be cleaned it must be taken offsite to a Laundromat.

### Attachment A



## Attachment B

### **Line Plot:**

- 17 ft. (5.18 m)—DS of Plaster Line—House Curtain traveler DS closed position.
- 3 ft. (.91 m)—DS of Plaster Line—Bare batten. Batten 30 ft. (9.14 m) long.  
Trim to batten 18 ft. 8 in. (5.68 m).
- 1 ft. 9 in. (.53 m)—DS of Plaster Line—DA-LITE® front projection screen.  
18 ft. wide × 15 ft. 9 in. high (5.48 m × 4.8 m).
- 0 ft. (0 m)—Plaster Line.
- 6 in. (0.1524 m)—House Curtain. Trim to track 20 ft. 2 in. (6.14 m).  
Motorized traveler, motor SL. Follows the edge of the thrust, and thus when closed is down stage of the proscenium arch.
- 2 ft. 3 in. (0.68 m)—Traveler track. Trim to track 20 ft. 7 in. (6.27 m).  
Hand drawn from SL.
- 2 ft. 9 in. (0.83 m)—False valence (Teaser). Batten 55 ft. (16.76 m) long.  
Trim to batten 24 ft. 10 in. (7.56 m). Trim to bottom of valence 15 ft. 10 in. (4.82 m).
- 3 ft. 9 in. (1.14 m)—1st Electric.  
Batten 41 ft. (12.49 m) long. Trim to batten 19 ft. 6 in. (5.94 m).
- 4 ft. 9 in. (1.44 m)—1st Legs. Trim to batten 22 ft. 9 in. (6.93 m). Batten 55 ft. (16.76) long.
- 7 ft. (2.13 m)—1st Border. Batten 55 ft. (16.76 m) long.  
Trim to batten 23 ft. 2 in. (7.06 m). Trim to bottom of border 17 ft. 2 in. (5.23 m).
- 7 ft. 6 in. (2.28 m)—Traveler track. Trim to track 20 ft. 3 in. (6.78 m).  
Hand drawn from SL.
- 8 ft. (2.43 m)—2nd Legs. Batten 55 ft. (16.76 m) long. Trim to batten 22 ft. 8 in. (6.90 m).
- 9 ft. 6 in. (2.89 m)—2nd Electric. Batten 55 ft. (16.76 m) long.  
Trim to batten 19 ft. 6 in. (5.94 m).
- 11 ft. 4 in. (3.45 m)—2nd Border. Batten 55 ft. (16.76 m) long.  
Trim to batten 22 ft. 9 in. (6.93 m). Trim to bottom of border 16 ft. 9 in. (5.1 m).
- 11 ft. 4 in. (3.45 m)—3rd Legs  
(Shares the same batten as the 2nd Border).
- 14 ft. (4.26 m)—3rd Border. Batten 55 ft. (16.76 m) long.  
Trim to batten 23 ft. (7.01 m). Trim to bottom of border 16 ft. 3 in. (4.95 m).
- 15 ft. 4 in. (4.67 m)—3rd Electric. Batten 55 ft. (16.76 m) long.  
Trim to batten 19 ft. 6 in. (5.94 m).
- 16 ft. 4 in. (4.97 m)—Traveler track. Trim to track 20 ft. 2 in. (6.14 m).  
Hand drawn from SL.
- 16 ft. 9 in. (5.1 m)  
4th Legs. Tied to 8 ft. (2.43 m) pipes and hung from grid.
- 16 ft. 11 in. (5.15 m)—6—Century Strand 6 ft. 3 color strip lights.  
Batten 55 ft. (16.76) long. Trim to batten 19 ft. 9 in. (6.02 m). Used to light Cyclorama.
- 17 ft. 8 in. (5.38 m) Traveler track. Trim to track 20 ft. 7 in. (6.88 m).  
Hand drawn from SL.
- 19 ft. 6 in. (5.94 m)—Muslin Sky Drop (Cyclorama). Batten 55 ft. (16.76 m) long.

**Grid height:** From deck to top of grid surface is 26 ft. 6 in. (8.07 m)

**Note:** There is no fly system. All electrics and soft goods are dead hung using chain. Trim of electrics and soft goods cannot be readily adjusted.

# Attachment C

