

Sangre de Cristo Arts Center Theater House Plot

SDCACTheater House Plot.lw5

4/18/2016

INSTRUMENT SCHEDULE

Lighting Design Timothy F. Gately




TABLE OF CONTENTS

BEAM	1	4TH ELECTRIC	10
1ST ELECTRIC	4	PROSCENIUM PIPE	12
2ND ELECTRIC	6	CATWALK SL	12
3RD ELECTRIC	8	CATWALK SR	13
		CATWALK FRONT	14

INSTRUMENT SCHEDULE

Lighting Design Timothy F. Gately

BEAM

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Area 6, UL Thrust, Amber	S4 - 19 575w			 R08+ R132			1/12	(7)
2	Area 6, UL Thrust, Blue	S4 - 19 575w			 R79+ R132+ G99			1/11	(122)
3	Area 6, UL Thrust, Lavendar	S4 - 19 575w			 R56+ R132			1/10	(124)
4	Area 6, UL Thrust, Pink	S4 - 19 575w			 R34+ R132			1/9	(126)
5	Area 3, DL Thrust, Amber	S4 - 19 575w			 R08+ R132			1/12	(7)
6	Area 3, DL Thrust, Blue	S4 - 19 575w			 R79+ R132+ G99			1/11	(122)
7	Area 3, DL Thrust, Lavendar	S4 - 19 575w			 R56+ R132			1/10	(124)
8	Area 3, DL Thrust, Pink	S4 - 19 575w			 R34+ R132			1/9	(126)
9	Front Wash, Neutral DL	S4 - 19 575w			 R355+ R132			1/118	(26)
10	Area 3, DL Thrust, Cool	S4 - 19 575w			 R68+ R132+ G99			1/117	(16)
11	Area 3, DL Thrust, Warm	S4 - 19 575w			 R08+ R132			1/115	(5)
12	Front Wash, Neutral DCL	S4 - 26 575w			 R355+ R132			1/114	(25)
13	Area 2, DC Thrust, Cool	S4 - 19 575w			 R68+ R132+ G99			1/113	(15)










INSTRUMENT SCHEDULE

BEAM

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
14	Area 2, DC Thrust, Warm	S4 - 19 575w			 R08+ R132			1/116	(4)
14.1	Follow Spot	Lycian 1206 Midget Followspot 1kW							
15	Front Wash, Neutral DCL	S4 - 26w/Iris 575w			 R355+ R132			1/112	(24)
16	Area 2, DC Thrust, Cool	S4 - 19w/Iris 575w			 R68+ R132+ G99			1/111	(14)
17	Area 2, DC Thrust, Warm	S4-750 - 26w/Iris 575w			 R08+ R132			1/110	(3)
18	Area 2, DC Thrust, Cool	S4 - 19w/Iris 575w			 R68+ R132+ G99			1/108	(13)
19	Front Wash, Neutral DCR	S4 - 26w/Iris 575w			 R355+ R132			1/107	(23)
19.1	Follow Spot	Lycian 1206 Midget Followspot 1kW							
20	Area 1, DC Thrust, Warm	S4 - 19 575w			 R08+ R132			1/104	(2)
21	Area 1, DCR Thrust, Cool	S4 - 19 575w			 R68+ R132+ G99			1/101	(12)
22	Front Wash, Warm DCR	S4 - 26 575w			 R355+ R132			1/102	(22)
23	Area 1, DR Thrust, Warm	S4 - 19 575w			 R08+ R132			1/105	(1)
24	Area 1, DR Thrust, Cool	S4 - 19 575w			 R68+ R132+ G99			1/103	(11)


INSTRUMENT SCHEDULE

BEAM

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
25	Front Wash, Neutral DR	S4 - 19 575w			 R355+ R132			1/106	(21)
26	Area 1, DR Thrust, Pink	S4 - 19 575w			 R34+ R132			1/6	(125)
27	Area 1, DR Thrust, Lavendar	S4 - 19 575w			 R56+ R132			1/5	(123)
28	Area 1, DR Thrust, Blue	S4 - 26 575w			 R79+ R132+ G99			1/80	(121)
29	Area 1, DR Thrust, Amber	S4 - 19 575w			 R08+ R132			1/3	(6)
30	Area 4, UR Thrust, Pink	S4 - 19 575w			 R34+ R132			1/6	(125)
31	Area 4, UR Thrust, Lavendar	S4 - 26 575w			 R56+ R132			1/5	(123)
32	Area 4, UR Thrust, Blue	S4 - 19 575w			 R79+ R132+ G99			1/80	(121)
33	Area 4, UR Thrust, Amber	S4 - 19 575w			 R08+ R132			1/3	(6)








INSTRUMENT SCHEDULE

1ST ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Pipe End, Warm	S4 - 36 575w			 R34+ R132			1/29	(30)
2	Pipe End, Cool	S4 Jr- 36 575w			 R79+ R132+ G99			1/30	(37)
3	Pipe End, Warm	Alt. 6x12 575w			 R34+ R132			1/29	(30)
4	Pipe End, Cool	Alt. 6x12 575w			 R79+ R132+ G99			1/30	(37)
5	Pattern, Breakup	S4 - 26 575w			N/C			1/125	(84)
6	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/26	(53)
7	Back Wash, Red	6" Fresnel, Times Square 575w			 L106			1/27	(63)
8	Back Wash, Blue	6" Fresnel, Times Square 575w			 R74			1/28	(73)
9	Special CL	S4 - 26 575w			N/C			1/126	(114)
10	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/31	(54)
11	Back Wash, Red	6" Fresnel, Times Square 575w			 L106			1/32	(64)
12	Back Wash, Blue	6" Fresnel, Times Square 575w			 R74			1/33	(74)
13	Special CC	S4 - 26 575w			N/C			1/128	(115)
14	Back Wash, Blue	6" Fresnel, Times Square 575w			 R74			1/33	(74)
15	Back Wash, Red	6" Fresnel, Times Square 575w			 L106			1/32	(64)
16	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/31	(54)














INSTRUMENT SCHEDULE

1ST ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
17	Special CR	S4 - 26 575w			N/C			1/129	(116)
18	Back Wash, Blue	6" Fresnel, Times Square 575w			 R74			1/28	(73)
19	Back Wash, Red	6" Fresnel, Times Square 575w			 L106			1/27	(63)
20	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/26	(53)
21	Pattern, Breakup	S4 - 26 575w			N/C			1/130	(90)
22	Pipe End, Cool	Alt. 6x12 575w			 R79+ R132+ G99			1/24	(39)
23	Pipe End, Warm	Alt. 6x12 575w			 R34+ R132			1/25	(33)
24	Pipe End, Cool	S4 Jr- 36 575w			 R79+ R132+ G99			1/24	(39)
25	Pipe End, Warm	S4 - 36 575w			 R34+ R132			1/25	(33)







INSTRUMENT SCHEDULE

2ND ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Pipe End, Warm	S4 - 36 575w			 R34+ R132			1/35	(31)
2	Pipe End, Cool	S4 Jr- 36 575w			 R79+ R132+ G99			1/36	(37)
3	Pipe End, Warm	Alt. 6x12 575w			 R34+ R132			1/35	(31)
4	Pipe End, Cool	Alt. 6x12 575w			 R79+ R132+ G99			1/36	(37)
5	Pattern, Breakup	S4 - 26 575w			N/C			1/37	(85)
6	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/79	(55)
7	Back Wash, Red	6" Fresnel, Century Strand 500w			 L106			1/38	(65)
8	Back Wash, Blue	6" Fresnel, Century Strand 500w			 R74			1/39	(75)
9	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/219	(56)
10	Back Wash, Red	6" Fresnel, Century Strand 500w			 L106			1/220	(66)
11	Back Wash, Blue	6" Fresnel, Century Strand 500w			 R74			1/221	(76)
12	Back Wash, Blue	6" Fresnel, Century Strand 500w			 R74			1/221	(76)
13	Back Wash, Red	6" Fresnel, Century Strand 500w			 L106			1/220	(66)
14	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/222	(56)
15	Back Wash, Blue	6" Fresnel, Century Strand 500w			 R74			1/39	(75)









INSTRUMENT SCHEDULE

2ND ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
16	Back Wash, Red	6" Fresnel, Century Strand 500w			 L106			1/38	(65)
17	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/79	(55)
18	Pattern, Breakup	S4 - 26 575w			N/C			1/216	(91)
19	Pipe End, Cool	Alt. 6x12 575w			 R79+ R132+ G99			1/217	(40)
20	Pipe End, Warm	Alt. 6x12 575w			 R34+ R132			1/218	(34)
21	Pipe End, Cool	S4 Jr- 36 575w			 R79+ R132+ G99			1/217	(40)
22	Pipe End, Warm	S4 - 36 575w			 R34+ R132			1/218	(34)







INSTRUMENT SCHEDULE

3RD ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Pipe End, Warm	S4 - 36 575w			 R34+ R132			1/226	(32)
2	Pipe End, Cool	S4 Jr- 36 575w			 R79+ R132+ G99			1/227	(38)
3	Pipe End, Warm	S4 - 26 575w			 R34+ R132			1/226	(32)
4	Pipe End, Cool	S4 - 26 575w			 R79+ R132+ G99			1/227	(38)
5	Pattern, Breakup	S4 - 26 575w			N/C			1/228	(86)
6	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/29	(57)
7	Back Wash, Red	6" Fresnel, Century 500w			 L106			1/239	(67)
8	Back Wash, Blue	6" Fresnel, Century 500w			 R74			1/238	(77)
9	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/48	(58)
10	Back Wash, Red	6" Fresnel, Century 500w			 L106			1/237	(68)
11	Back Wash, Blue	6" Fresnel, Century 500w			 R74			1/230	(78)
12	Back Wash, Blue	6" Fresnel, Century 500w			 R74			1/230	(78)
13	Back Wash, Red	6" Fresnel, Century 500w			 L106			1/237	(68)
14	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/48	(58)
15	Back Wash, Blue	6" Fresnel, Century 500w			 R74			1/238	(77)

INSTRUMENT SCHEDULE

3RD ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
16	Back Wash, Red	6" Fresnel, Century 500w			 L106			1/239	(67)
17	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/229	(57)
18	Pattern, Breakup	S4 - 26 575w			N/C			1/240	(92)
19	Pipe End, Cool	S4 - 26 575w			 R79+ R132+ G99			1/241	(41)
20	Pipe End, Warm	S4 - 26 575w			 R34+ R132			1/242	(35)
21	Pipe End, Cool	S4 Jr- 36 575w			 R79+ R132+ G99			1/241	(41)
22	Pipe End, Warm	S4 - 36 575w			 R34+ R132			1/242	(35)

INSTRUMENT SCHEDULE


4TH ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
A1	Cyc, Red	12LT 3CKT 150 W R40FL 150w			 R124			1/41	(141)
A2	Cyc, Green	12LT 3CKT 150 W R40FL 150w			 R126			1/50	(142)
A3	Cyc, Blue	12LT 3CKT 150 W R40FL 150w			 R125			1/43	(143)

B1	Cyc, Red	12LT 3CKT 150 W R40FL 150w			 R124			1/41	(141)
B2	Cyc, Green	12LT 3CKT 150 W R40FL 150w			 R126			1/50	(142)
B3	Cyc, Blue	12LT 3CKT 150 W R40FL 150w			 R125			1/43	(143)




C1	Cyc, Red	12LT 3CKT 150 W R40FL 150w			 R124			1/41	(141)
C2	Cyc, Green	12LT 3CKT 150 W R40FL 150w			 R126			1/50	(142)
C3	Cyc, Blue	12LT 3CKT 150 W R40FL 150w			 R125			1/43	(143)

D1	Cyc, Red	12LT 3CKT 150 W R40FL 150w			 R124			1/46	(141)
D2	Cyc, Green	12LT 3CKT 150 W R40FL 150w			 R126			1/47	(142)
D3	Cyc, Blue	12LT 3CKT 150 W R40FL 150w			 R125			1/45	(143)

E1	Cyc, Red	12LT 3CKT 150 W R40FL 150w			 R124			1/46	(141)
E2	Cyc, Green	12LT 3CKT 150 W R40FL 150w			 R126			1/47	(142)
E3	Cyc, Blue	12LT 3CKT 150 W R40FL 150w			 R125			1/45	(143)













INSTRUMENT SCHEDULE

4TH ELECTRIC

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
F1	Cyc, Red	12LT 3CKT 150 W R40FL 150w			 R124			1/46	(141)
F2	Cyc, Green	12LT 3CKT 150 W R40FL 150w			 R126			1/47	(142)
F3	Cyc, Blue	12LT 3CKT 150 W R40FL 150w			 R125			1/45	(143)

INSTRUMENT SCHEDULE

PROSCENIUM PIPE

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/207	(51)
2	Back Wash, Red	Alt. 6" Fresnel 575w			 L106			1/208	(61)
3	Back Wash, Blue	6" Fresnel, Century 500w			 R74			1/209	(71)
4	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/210	(52)
5	Back Wash, Red	Alt. 6" Fresnel 575w			 L106			1/211	(62)
6	Back Wash, Blue	6" Fresnel, Century 500w			 R74			1/212	(72)
7	Back Wash, Blue	Alt. 6" Fresnel 575w			 R74			1/212	(72)
8	Back Wash, Red	6" Fresnel, Century 500w			 L106			1/211	(62)
9	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/210	(52)
10	Back Wash, Blue	Alt. 6" Fresnel 575w			 R74			1/209	(71)
11	Back Wash, Red	6" Fresnel, Century 500w			 L106			1/208	(61)
12	Back Wash, Amber	S4 - PAR WFL 575w			 R317			1/207	(51)

CATWALK SL

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Pattern, Breakup	S4-750 - 26 575w			N/C			1/124	(85)
2	Pattern, Breakup	S4-750 - 26 575w			N/C			1/123	(83)
3	Pattern, Breakup	S4-750 - 26 575w			N/C			1/19	(81)

INSTRUMENT SCHEDULE

CATWALK SR

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
3	Pattern, Breakup	S4-750 - 26 575w			N/C			1/20	(82)
2	Pattern, Breakup	S4-750 - 26 575w			N/C			1/120	(84)
1	Pattern, Breakup	S4-750 - 26 575w			N/C			1/119	(86)



INSTRUMENT SCHEDULE

CATWALK FRONT

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
1	Area 5, UC Thrust, Warm	S4 - 36 575w			 R08+ R132			1/18	(9)
2	Area 5, UC Thrust, Cool	S4 - 36 575w			 R68+ R132+ G99			1/17	(18)
3	Area 5, UC Thrust, Neutral	S4 - 36 575w			 R355+ R132			1/16	(16)
4	Special DL	S4-750 - 26 750w			N/C			1/205	(105)
5	Area 4, UR Thrust, Warm	S4 - 36 575w			 R08+ R132			1/15	(10)
6	Special DCL	S4-750 - 26w/Iris 750w			N/C			1/204	(104)
7	Area 4, UR Thrust, Cool	S4 - 36 575w			 R68+ R132+ G99			1/14	(19)
8	Area 4, UR Thrust, Neutral	S4 - 36 575w			 R355+ R132			1/13	(29)
9	Special DC	S4-750 - 26 750w			N/C			1/203	(103)
10	Area 6, UL Thrust, Neutral	S4 - 36 575w			 R355+ R132			1/23	(27)
11	Area 6, UL Thrust, Cool	S4 - 36 575w			 R68+ R132+ G99			1/22	(17)
12	Special DCR	S4-750 - 26w/Iris 750w			N/C			1/202	(102)
13	Area 6, UL Thrust, Warm	S4 - 36 575w			 R08+ R132			1/21	(8)
14	Special DR	S4-750 - 26 750w			N/C			1/201	(101)
15	Area 5, UC Thrust, Neutral	S4 - 36 575w			 R355+ R132			1/16	(16)

INSTRUMENT SCHEDULE

CATWALK FRONT

U#	Purpose	Typ & Acc & W	Ckt	C#	Color	Temp	Gsiz	Dim	Chan
16	Area 5, UC Thrust, Cool	S4 - 36 575w			 R68+ R132+ G99			1/17	(18)
17	Area 5, UC Thrust, Warm	S4 - 36 575w			 R08+ R132			1/18	(9)